
# 3M<sup>™</sup> Mini D Ribbon (MDR) Connectors

.050" Boardmount Through-Hole R. A. Condo Receptacle - Shielded

102 Series



## Physical

Insulation Material:	Glass Reinforced Polyester (PBT)
Flammability:	UL 94V-0
Color:	Black
Contact Material:	Copper Alloy
Plating	
Underplating:	80 μ" [ 2.0 μm ] Nickel
Wiping Area:	20 µ" [ 0.50 µm ] Min. Gold
Solder tails:	See Ordering Information
<b>Body Material:</b>	Zinc Alloy
Plating:	Nickel
Shroud & Latch Hook	
Material:	Steel
Plating:	Nickel
Other Materials:	Zinc Die Cast (Ground Lock), Stainless Steel (Joint Plate)
Marking:	3M Logo and Part Number

## Electrical

Current Rating:1 AInsulation Resistance: $> 5 \times 10^8 \Omega$  at 500 V<sub>DC</sub>Withstanding Voltage:500 V<sub>RMS</sub> for 1 Minute

## Environmental


Temperature Rating: -20°C to +85°C Process Rating: Solder Dip Test - 260°C for 10 secs., two times after 100°C max. preheat, 60 sec.max. duration.

UL File No.: E68080

## 3M<sup>™</sup> Mini D Ribbon (MDR) Connectors

.050" Boardmount Through-Hole R. A. Condo Receptacle - Shielded

102 Series



# 3M<sup>™</sup> Mini D Ribbon (MDR) Connectors

.050" Boardmount Through-Hole R. A. Condo Receptacle - Shielded

Lower Connector O Position 50 Position Contact Dimensions Quantity С D Lower Connector A В Position 2 1.0814 0.450 0.94 1.276 20 27.45] 11.43] 23.8] [32.4] 2X 0.20 2X 0.22 Lower Connector [5.0] [5.5] Edge of PC Board Last Position 1.200 1.831 1.69 2.026 50 46.50] 30.48] [42.8] [51.45] .050 Typ -0.04 2.281 1.650 2.13 2.476 [ 1.27 ] [1.1] 68 19 Max 41.91] 54.2] 62.88] 57.93] [4.8] \_ -⊕ + +/ ഐ ÷ -@-I ہے لے آج i la La .35 .125 [ 9.0 ] \_ -φ\_-┤┿┧ [3.18] ₽---------| | © 1 тi Recommended Board Layouts A டு டு Viewed from Connector Sides 4L6  $\square$ 2XØ.110±.003 3X .075 [ 2.80 ] i-φ-⊢ ·rφ·i-¢ [1.90] (See Note\*) φ Ð 3X .075 Lower Connector [1.90] Position 1 Upper Connector Position 2 20 and 68 Position Upper Connector O Upper Connector Last Position Position в Upper Connector Lower Connector Position Position 2  $\emptyset.028 \pm .003$ A ± 0.004 [.1] Lower Connector O [0.71] Position 2X 0.22 2X 0 20 Lower Connector -Edge of PC Board [5.5] [5.0] Last Position 19 Max .050 Typ .04 [4.8] [1.27] [1.1] .125 ╞┈╼┍┥ .35 [3.18] [9.0] አ ⊢φ-¦-/  $|\dot{\varphi}|\dot{\varphi}$ Ģ ⊕ŀ ÷ 9 1/ <del>.</del> • ⊕. -0 الله الله. آ 616 2XØ.110±.003 Ф Inch 3X .075 Ť [2.80] [ 1.90 ] [mm] (See Note\*) φ Tolerance Unless Noted Lower Connector 3X .075 .00 .0 .000 Position 1 [1.90] Upper Connector Inch ±.1 ±.01 ±.005 Position 2 Upper Connector Upper Connector O [] Dimensions for Reference Last Position Position Only В arnothing.028  $\pm$  .003 Upper Connector A  $\pm$  .004 [.1 ] Position 1 [0.71] .34 ± .004 [ .1 ] -[8.6] Recommended Panel Cut-Out Panel thickness 0.079 [ 2.0 ] max. .600 ± .004 [ .1 ]  $2X \varnothing .12 \pm .003$ [ 15.24 ] [3.0] C ± .004 [ .1 ] D ± .004 [ .1 ] TS-0671-07 Note: Plated-through mounting holes for .062 [ 1.57 ] board thickness. Sheet 3 of 3

### EUROPE

### **Appendix E1: European Union RoHS**

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU Commission Decision 2005/618/EC.

#### This product is RoHS Compliant 2005/95/EC.

"RoHS Compliant 2005/95/EC" means that the product or part ("Product") does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/ EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the Warranty stated below.

#### **Appendix E2: European Union RoHS**

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU Commission Decision 2005/618/EC

This product contains lead in the compliant pin area in excess of the maximum concentration value allowed but is compliant by exemption under EU Commission Decision 2005/747/EC.

"RoHS Compliant 2005/95/EC" means that the product or part ("Product") does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/ EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the Warranty stated below.

### **Appendix E3: European Union RoHS**

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment as amended by Commission Decision 2005/618/EC.

#### This product contains lead in the solder tail area in excess of the maximum concentration value allowed.

Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the Warranty stated below.

### **Appendix E4: European Union RoHS**

Directive 2002/95/EC, Restriction of the Use of Certain Hazardous Substances in Electrical & Electronic Equipment, as amended by EU Commission Decision 2005/618/EC.

This product contains decaBDE in the insulating material in excess of the maximum concentration value allowed but is compliant by exemption under EU Commission Decision 2005/17/EC.

"RoHS Compliant 2005/95/EC" means that the product or part ("Product") does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU RoHS. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the Warranty stated below.



### Appendix C1: China RoHS

Electronic Industry Standard of the People's Republic of China, SJ/T11363-2006, Requirements for Concentration Limits for Certain Hazardous Substances in Electronic Information Products.

This symbol, per Marking for the Control of Pollution Caused by Electronic Information Products, SJ/T11364-2006, means that the product or part **does not** contain any of the following substances in excess of the following maximum concentration values in any homogeneous material: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

In the event any product is proven not to conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the Warranty stated below.



### Appendix C2: China RoHS

Electronic Industry Standard of the People's Republic of China, SJ/T11363-2006, Requirements for Concentration Limits for Certain Hazardous Substances in Electronic Information Products.

This symbol, per Marking for the Control of Pollution Caused by Electronic Information Products, SJ/T11364-2006, means that the product or part **does** contain a substance, as detailed in the chart below, in excess of the following maximum concentration values in any homogeneous material: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M in writing, this information represents 3M's best knowledge and belief based upon information provided by third party suppliers to 3M.

The numerical reference in the symbol above should not be construed as a representation regarding the product's life or an extension of a product warranty. The product warranty is stated below. In the event any product is proven not to conform with 3M's Regulatory Information Appendix, then 3M's entire liability and Buyer's exclusive remedy will be in accordance with the product Warranty stated below.

部件名称	有毒有害物质或元素(Hazardous Substances or Elements)							
(Part or Component Name)	铅(Pb)	汞 (Hg)	镉 (Cd)	六价铬(Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)		
端子镀层(contact plating)	×	0	0	0	0	0		
O: 表示该有毒有害物质在该部件所有均质材料中的含量均在SJ/T11363-2006 标准规定的限量要求以下。(Indicates that this hazardous substance contained in all of the homogeneous materials for this part is below the limit requirement in								
SJ/T11363-2006.) ×: 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出SJ/T11363-2006 标准规定的限量要求。(Indicates that this								
hazardous substance contained in at least one of the homogeneous materials used for this part is above the limit								

#### 产品中有毒有害物质或元素的名称及含量 Name and Content of Hazardous Substances or Elements

#### Important Notice

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

#### Warranty; Limited Remedy; Limited Liability.

requirement in SJ/T11363-2006.)

This product will be free from defects in material and manufacture for a period of one (1) year from the time of purchase. **3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. **Except where prohibited by law, 3M will not be liable for any indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.** 



**Electronic Solutions Division** 

6801 River Place Blvd. Austin, TX 78726-9000 800/225-5373 www.3M.com/interconnects