

All 3M Products Innovation About 3M

United States [Change]

Q

Search Keywords, part numbers, etc

Locating & Marking

Products Industry Solutions Global Leadership Resources Contact Us Where to Buy

<u>United States</u> > <u>All 3M Products</u> > <u>Safety and Security</u> > <u>Locating & Marking</u> > <u>Detection & Marking</u> > <u>Locators</u> > 7573-ID/5-NA

7573-ID/5-NA

3M ID 80630002816 UPC# 00051135332238




Designed to be the most accurate, fastest and most integrated locator on the market, the $3M^{\text{TM}}$ Dynatel $^{\text{TM}}$ Locators 7573 represents an advancement in locating technology for the field professional.

Featured Benefits

- Locate and trace the path of EMS Caution Tape
- Trace view mapping interface that provides an intuitive mapping display showing the utility path combined with a precision peak antenna based antenna array to provide the utmost confidence in utility location.
- Pinpoint the location and estimate the depth of all existing models of properly installed underground passive EMS markers
- Read, write and conduct direct depth reading of 3M™ iD markers
- Pinpoints sheath or ground faults and cable breaks, with OHMs function to discriminate between light and heavy faults
- Lightweight, compact and well-balanced. Designed to be rugged, durable and with the longest battery life of any locator on the market.
- Compatibility with select GPS/GIS field mapping instruments for real time mapping of electronic markers or pipe and cable facilities
- Compatibility with select GPS/GIS field mapping instruments for real time mapping of electronic markers or pipe and cable facilities

Like Sign Up to see what your friends like.



Overview

The 3M[™] Dynatel[™] 7573-iD locator represents an advancement in locating technology for the field professional. Based on the advanced Dynatel platform, the 7573-iD locator allows users to locate the new 3M EMS Caution Tape, along with cables, pipes and the ability to read/write to 3M iD markers. The 7573-iD can also be used for fault finding.

Offering a broad feature set with advanced digital processing, the 7573 combines simple interfaces with precision locating capabilities. The 7573 locator offer six active frequencies and a maximum transmitter output of 5 watts.

- Locate and trace the path of EMS Caution Tape
- Trace view mapping interface that provides an intuitive mapping display showing the utility path combined with a precision peak antenna based antenna array to provide the utmost confidence in utility location.
- Pinpoint the location and estimate the depth of all existing models of properly installed underground passive EMS markers
- \bullet Read, write and conduct direct depth reading of $3M^{\mbox{\tiny TM}}$ iD markers
- Pinpoints sheath or ground faults and cable breaks, with OHMs function to discriminate between light and heavy faults
- Lightweight, compact and well-balanced. Designed to be rugged, durable and with the longest battery life of any locator on the market.
- · Compatibility with select GPS/GIS field mapping instruments for real time mapping of electronic markers or pipe and cable facilities

Suggested Applications

- Locating the path of EMS Caution Tape
- Read, Write and Locate Markers
- Fault Finding

Specifications	
Clip Size	No Clip
Coupler Size	No Coupler
Fault Finding Capability	Yes
Marker Finding Capability	Yes
Number of Frequencies	6
Wattage of Transmitter	5W

3M Locating & Marking: Support

3M: News | Careers | Partners & Suppliers | Investor Relations | MSDS Search | Transport Information Search | Contact 3M | Legal Information | Privacy Policy

