



Search  



All 3M Products Innovation About 3M

United States  [Change](#)

## Oil & Gas

[Industry Solutions](#) | [Products](#) | [Resources](#) | [About 3M Oil & Gas](#)

[Contact Us](#)

[United States](#) > [All 3M Products](#) > [Safety and Security](#) > [Oil & Gas](#) > [Products](#)

[Oil & Gas](#) > [Electronics & Electrical Supplies](#) > [Cable Ties and Accessories](#) > [3M™ Dual Lock Fasteners](#) > 3M™ Dual Lock™ Reclosable Fastener SJ3762, Die-Cut Piece Part, Stem Density 400, Black, 28.5 mm, 1000 pieces per case

# 3M™ Dual Lock™ Reclosable Fastener SJ3762, Die-Cut Piece Part, Stem Density 400, Black, 28.5 mm, 1000 pieces per case

3M ID 70070573996 UPC# 00021200241314 3M Product Number SJ-3762



Black, polypropylene reclosable fastener with rigid backing, rigid backed circle with hole 400 stems per square inch, 1 1/8 inch (28.5 mm) outside diameter, round rigid backed reclosable fastener.

**Need Help?**

---

**Questions?** We can help  
[Contact Us](#)



Like [Sign Up](#) to see what your friends like.

### Overview |

3M™ Dual Lock™ Reclosable Fasteners have been used extensively in transportation, electronics, business equipment, machinery, medical and sign and display markets. When the mushroom-shaped stems interlock, tensile strength is high enough to replace mechanical fasteners in many applications, yet you can readily open and close Dual Lock fasteners hundreds of times. High temperature and solvent resistant. Rigid backed Dual Lock are designed for mechanical attachment like riveting or popping into place

### Specifications

<b>Diameter</b>	28.5 Millimetre
<b>Engaged Thickness Range (metric)</b>	8.66 to 9.22 Millimetre
<b>Fastening Area</b>	5.87 Square Centimetre
<b>ID Hole Size</b>	4.1 Millimetre
<b>Manufacturing Segment</b>	Exterior, Interior
<b>Number of Holes</b>	1
<b>OD Hole Size</b>	7.9 Millimetre
<b>Piece Parts Type</b>	Die-Cut
<b>Stem Color</b>	Black
<b>Stem Density</b>	400
<b>Unmated Thickness (metric)</b>	5.1 Millimetre

