Assembled Pi T-Cobbler Plus – GPIO Breakout for RasPi A+/B+/Pi 2

PRODUCT ID: 2028

DESCRIPTION   −

This is the assembled version of the Pi T-Cobbler Plus. It only works with the Raspberry Pi Model A+/B+/Pi 2!

The Raspberry Pi B+ and Pi 2 has landed on the Maker World like a 40-GPIO pinned, quad-USB ported, credit card sized bomb of DIY joy. And while you can use most of our great Model B accessories by hooking up our downgrade cable, its probably a good time to upgrade your set up and accessorize using all of the Model B+'s and Pi 2's 40 pins.

That's why we now carry the Assembled Adafruit Pi T-Cobbler Plus - Breakout + Cable for Raspberry Pi B+/Pi 2. This Cobbler is in a fancy T-shape, which is not as compact, but is a little easier to read the labels. We also have the more compact original Cobbler Plus.

The T-Cobbler Plus is an add on prototyping board from Adafruit specifically designed for the B+ and Pi 2 that can break out all those tasty power, GPIO, I2C and SPI pins from the 40-pin header onto a solderless breadboard. This set will make "cobbling together" prototypes with the Pi super easy.

Each order comes with a 40 pin ribbon cable and assembled T-Cobbler Plus. You can plug the 40-pin GPIO cable between the Pi computer and the T-Cobbler breakout. The T-Cobbler can plug into any solderless breadboard (or even a prototyping board like the PermaProto). The T-Cobbler PCB has all the pins labeled nicely so you can go forth and build circuits without keeping a pin-out printout at your desk. We think this will make it more fun to expand the Pi and build custom circuitry with it.

Designed for use with Raspberry Pi Model A+/B+/Pi 2 only. No soldering required!

The Raspberry Pi B+ / Pi 2, solderless breadboard, breadboarding wires, cables, components, power supply, etc are not included! We do stock many of those items in the shop, so check those out as well!

Click here if you're looking for the Assembled Pi T-Cobbler that works with the Raspberry Pi Model B!

Note: The Raspberry Pi Model A+ and Model Pi 2 is also compatible with this product!

Technical Details

RoHS ✓

Dimensions:

73mm x 20mm x 11mm / 2.9" x 0.8" x 0.4"
Height with pins: 19mm / 0.8"
Width at top of T: 58mm / 2.3"
Weight: 14g