

UTC-300P-B

1D/2D Barcode Reader for UTC-300 Series



USB connection to UTC

1D :Up to 500 scans per second

2D: Up to 60 frame rate per second

Product Specifications

Part Number			
Details			
UTC-300P-BB30E	UTC-300P-BB31E	UTC-300P-BB40E	
Best Fit			
Best Fit			
for UTC-315	for UTC-315	for UTC-318	
OS Support			
OS Support			
Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)	
Interface			
Interface			
USB	USB	USB	
Dimensions			
Dimensions			
111 x 60.5 x 32 mm	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm	
Color			
Color			
Black	Black	Black	

Product Specifications

Part Number		
Details		
UTC-300P-BB41E	UTC-300P-BW30E	UTC-300P-BW31E
Best Fit		
Best Fit		
for UTC-318	for UTC-315	for UTC-315
OS Support		
OS Support		
Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)
Interface		
Interface		
USB	USB	USB
Dimensions		
Dimensions		
111 x 60.5 x 32 mm	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm
Color		
Color		
Black	White	White

Product Specifications

Part Number		
Details		
UTC-300P-BW31E	UTC-300P-BW40E	UTC-300P-BW41E
Best Fit		
Best Fit		
for UTC-315	for UTC-318	for UTC-318
OS Support		
OS Support		
Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)	Windows XP/7/8 (Support OPOS Driver)
Interface		
Interface		
USB	USB	USB
Dimensions		
Dimensions		
111 x 60.5 x 32 mm	111 x 60.5 x 32 mm	111 x 60.5 x 32 mm
Color		
Color		
White	White	White