

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.






ORIGINAL




POS	A	B
02		3.85
04	3.0	6.85
06	6.0	9.85
08	9.0	12.85
10	12.0	15.85
12	15.0	18.85
14	18.0	21.85
16	21.0	24.85
18	24.0	27.85
20	27.0	30.85
22	30.0	33.85
24	33.0	36.85

1. MATERIAL:
HOUSING: THERMOPLASTIC,NYLON66, UL94V-0, COLOR: BLACK.
2. PACKING IS PER AMTA PACKING SPECIFICATION PK5-0001.
3. THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS
PER DIRECTIVE 2011/65/EU FOR RoHS COMPLIANT.
4. RECOMMENDED CRIMPING CONTACT P/N: G881C0232CEU




ONLY FOR 2PIN



RECEPTACLE

24.6

PLUG



TOLERANCE		APPROVALS	DATE	TITLE			Amphenol® Amphenol Corporation Amphenol Taiwan Corporation						
X.		DRAWN	Debby Hung	11/10/2014	MICRO POWER CONNECTOR 3.0MM PITCH, DUAL ROWS HOUSING ,CRIMPING TYPE 								
X.X	±0.30	CHECKED	Roger Tsai	11/10/2014									
X.XX	±0.20												
X.XXX	±0.10	APPROVED	Arron Lin	11/10/2014									
ANGULAR ±1°					UNIT	mm	SIZE	A3	PART No.	G881HXX22CEU			
UNLESS OTHERWISE SPECIFIED		DWG TYPE	CUST DWG	PROJECT CODE	SKT	SCALE	NA	SHEET	1 OF 3	DWG No.	G881HXX22CEU	REV.	A

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.


The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.




ORIGINAL




REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A	NE-14204	RELEASE TO PRODUCTION	11/10/2014	Arron Lin




2*1P




2*2P




2*3P




2*4P




2*5P




2*6P




2*7P




2*8P




2*9P



2*10P



2*11P



2*12P

TOLERANCE		APPROVALS		DATE	TITLE MICRO POWER CONNECTOR 3.0MM PITCH, DUAL ROWS HOUSING ,CRIMPING TYPE			Amphenol [®] Amphenol Corporation Amphenol Taiwan Corporation				
X.		DRAWN	Debby Hung	11/10/2014								
X.X	±0.30	CHECKED	Roger Tsai	11/10/2014								
X.XX	±0.20											
X.XXX	±0.10	APPROVED	Arron Lin	11/10/2014	UNIT	mm	SIZE	A3	PART No.	G881HXX22CEU		
ANGULAR ±1°		DWG TYPE	CUST DWG	PROJECT CODE	SCALE	NA	SHEET	2 OF 3	DWG No.	G881HXX22CEU	REV.	A
UNLESS OTHERWISE SPECIFIED				SKT								

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.




The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.



ORIGINAL



REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A	NE-14204	RELEASE TO PRODUCTION	11/10/2014	Arron Lin



POS	PCS/PE BAG	PCS/CARTON
02	1000	12000
04	1000	10000
06	1000	10000
08	800	8000
10	800	8000
12	800	8000
14	800	8000
16	600	6000
18	600	6000
20	600	6000
22	500	5000
24	500	5000

TOLERANCE		APPROVALS		DATE		TITLE MICRO POWER CONNECTOR 3.0MM PITCH, DUAL ROWS HOUSING ,CRIMPING TYPE		Amphenol® Amphenol Corporation Amphenol Taiwan Corporation		
X.		DRAWN	Debby Hung	11/10/2014						
X.X	±0.30	CHECKED	Roger Tsai	11/10/2014						
X.XX	±0.20	APPROVED	Arron Lin	11/10/2014						
X.XXX	±0.10							PART No. G881HXX22CEU		
ANGULAR	±1°	DWG TYPE	CUST DWG	PROJECT CODE	SKT			DWG No. G881HXX22CEU		
UNLESS OTHERWISE SPECIFIED						UNIT	mm	SIZE	A3	REV. A
						SCALE	NA	SHEET	3 OF 3	