


Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire. Property of c BERG ELECTRONICS. Copyright BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor. Property of c BERG ELECTRONICS. Copyright BERG ELECTRONICS by

FCI



PRODUCT NO.
61126-****/****LF



ABOVE P.C.B
LEFT PUSH ROD





BELOW P.C.B
RIGHT PUSH ROD




ABOVE P.C.B
RIGHT PUSH ROD




BELOW P.C.B
LEFT PUSH ROD



DETAIL E
FOR 61126-****H/****HLF ONLY



SMT IN LIN



RIGHT ANGLE

<SEC. Z-Z>

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		A FCI www.fciconnect.com	
rev.	ecn no.	dr	date	linear	±0.30	projection	title	NARROW BODY EJ HEADER ASS'Y 68POS.	
H	N05-0063	WB	03/04/05						
C	T90181	W L	05/06/99	angles	± 2°	unit mm/inch scale 1:1	product family PCMCIA size dwg no.	code TWN sheet 1 OF 4	61126
D	V91408	W L	06/23/99						
E	V11056	W L	03/20/01	dr	WENDY CHEN	07/12/95			
F	V12191	W L	09/20/01	chr	L.W. LU	07/12/95			
G	T10287	W L	10/19/01	appd	JOSEPH HSIA	07/12/95			
					JENN TSAO	07/12/95			
sheet	revision	H	G	H	F				
index	sheet	1	2	3	4				

PDM: Rev:H

STATUS: Released

Printed: Sep 06, 2005

Tous droits strictement reserves. Reproduction ou communication a des tiers int sous quelque forme que ce soit sans autorisation écrite du propriétaire.
All rights strictly reserved. Reproduction or issue to third parties in any for whatever is not permitted without written authority from the proprietor.
Property of c.BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

PRODUCT NO.
61126-****

LEFT	BELOW	SMT-IL	NONE	61126-602XY	94898-502	95079-00XY	NONE	LAYOUT 2	
RIGHT	BELOW	SMT-IL	NONE	61126-502XY	94898-502	95079-10XY			
LEFT	ABOVE	SMT-IL	NONE	61126-102XY	94898-002	95079-10XY	NONE	LAYOUT 1	
RIGHT	ABOVE	SMT-IL	NONE	61126-002XY	94898-002	95079-00XY			
RIGHT	ABOVE	SMT-IL	NONE	61126-002XYH ④	94898-002	95079-00XY	93925-001	LAYOUT 4	
LEFT	BELOW	R/A	5	61126-650XY	94898-520	95079-05XY	NONE		
RIGHT	BELOW	R/A	5	61126-550XY	94898-520	95079-15XY			LAYOUT 3
LEFT	ABOVE	R/A	5	61126-150XY	94898-020	95079-15XY			
LEFT	ABOVE	R/A	5	61126-150XYH ④	94898-020	95079-15XY	93925-004		
RIGHT	ABOVE	R/A	5	61126-050XYH ④	94898-020	95079-05XY	93925-004		
RIGHT	ABOVE	R/A	5	61126-050XY	94898-020	95079-05XY		LAYOUT 4	
LEFT	BELOW	R/A	4	61126-640XY	94898-510	95079-04XY	NONE		
RIGHT	BELOW	R/A	4	61126-540XY	94898-510	95079-14XY		NONE	LAYOUT 3
LEFT	ABOVE	R/A	4	61126-140XY	94898-010	95079-14XY	NONE		
RIGHT	ABOVE	R/A	4	61126-040XY	94898-010	95079-04XY		NONE	LAYOUT 4
LEFT	BELOW	R/A	2	61126-620XY	94898-540	95079-02XY	NONE		
RIGHT	BELOW	R/A	2	61126-520XY	94898-540	95079-12XY		NONE	LAYOUT 3
LEFT	ABOVE	R/A	2	61126-120XY	94898-040	95079-12XY	NONE		
RIGHT	ABOVE	R/A	2	61126-020XY	94898-040	95079-02XY		NONE	LAYOUT 4
LEFT	BELOW	R/A	NONE	61126-600XY	94898-500	95079-00XY	NONE		
RIGHT	BELOW	R/A	NONE	61126-500XY	94898-500	95079-10XY		NONE	LAYOUT 3
LEFT	ABOVE	R/A	NONE	61126-100XY	94898-000	95079-10XY			
LEFT	ABOVE	R/A	NONE	61126-100XYH ④	94898-000	95079-10XY	93925-001		
RIGHT	ABOVE	R/A	NONE	61126-000XYH ④	94898-000	95079-00XY	93925-001		
RIGHT	ABOVE	R/A	NONE	61126-000XY	94898-000	95079-00XY	NONE		
① PUSH ROD LOCATION	② PCB SIDE	SOLDER TAIL	DIM. L STAND-OFF	TO MAKE FINAL ASS'Y PART NUMBER	HEADER PART NUMBER	MECHANISM ASS'Y P/N	HOLD-DOWN (4 PCS)	PCB LAYOUT SEE PAGE 3	

NOTE : (CONTIONOUS ON SHEET 3)

① PUSH ROD LOCATION AND PCB SIDE ARE AS APPEARS INSTALLED.

② SOLDER TAIL KEY:

R/A = RIGHT ANGLE PIN-THROUGH-HOLE

SMT-IL = SURFACE MOUNT IN-LINE(SINGLE ROW)

3. X = PUSH ROD LENGTH FROM END OF GUIDERAIL

DIM. S C : 13.0 mm
D : 15.6 mm
F : 21.0 mm

Y = PUSH ROD COLOR

A : BLACK

H : NATURAL

④ INCLUDES 4 HOLD DOWNS.

mat'l code				tolerance unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	±0.30		projection	title		
G									NARROW BODY		
					angles	± 2'			EJ HEADER ASS'Y 68POS.		
					dr	WENDY CHEN	07/12/95	unit	product family		code
					enrg	L.W. LU	07/12/95	mm/inch	PCMCIA		TWN
					chr	JOSEPH HSIA	07/12/95	scale	size		sheet
					appd	JENN TSAO	07/12/95	1:1	61126		2 OF
sheet	revision										
index	sheet										

PDM: Rev:H

STATUS:Released

Printed: Sep 06, 2005

Tous droits strictement reserves. Reproduction ou communication a des tiers int sous quelque forme que ce soit sans autorisation ecrite du proprietaire.
Droits de reproduction BERG ELECTRONICS.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any for without written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

PRODUCT NO.	
61126-****LF	

LEFT	BELOW	SMT-IL	NONE	61126-602XYLF	94898-502LF	95079-00XY	NONE	LAYOUT 2	
RIGHT	BELOW	SMT-IL	NONE	61126-502XYLF	94898-502LF	95079-10XY			
LEFT	ABOVE	SMT-IL	NONE	61126-102XYLF	94898-002LF	95079-10XY	NONE	LAYOUT 1	
RIGHT	ABOVE	SMT-IL	NONE	61126-002XYLF	94898-002LF	95079-00XY			
RIGHT	ABOVE	SMT-IL	NONE	61126-002XYHLF④	94898-002LF	95079-00XY	93925-001		
LEFT	BELOW	R/A	5	61126-650XYLF	94898-520LF	95079-05XY	NONE	LAYOUT 4	
RIGHT	BELOW	R/A	5	61126-550XYLF	94898-520LF	95079-15XY			
LEFT	ABOVE	R/A	5	61126-150XYLF	94898-020LF	95079-15XY		LAYOUT 3	
LEFT	ABOVE	R/A	5	61126-150XYHLF④	94898-020LF	95079-15XY			93925-004
RIGHT	ABOVE	R/A	5	61126-050XYHLF④	94898-020LF	95079-05XY			93925-004
RIGHT	ABOVE	R/A	5	61126-050XYLF	94898-020LF	95079-05XY			
LEFT	BELOW	R/A	4	61126-640XYLF	94898-510LF	95079-04XY	NONE	LAYOUT 4	
RIGHT	BELOW	R/A	4	61126-540XYLF	94898-510LF	95079-14XY			
LEFT	ABOVE	R/A	4	61126-140XYLF	94898-010LF	95079-14XY	NONE	LAYOUT 3	
RIGHT	ABOVE	R/A	4	61126-040XYLF	94898-010LF	95079-04XY			
LEFT	BELOW	R/A	2	61126-620XYLF	94898-540LF	95079-02XY	NONE	LAYOUT 4	
RIGHT	BELOW	R/A	2	61126-520XYLF	94898-540LF	95079-12XY			
LEFT	ABOVE	R/A	2	61126-120XYLF	94898-040LF	95079-12XY	NONE	LAYOUT 3	
RIGHT	ABOVE	R/A	2	61126-020XYLF	94898-040LF	95079-02XY			
LEFT	BELOW	R/A	NONE	61126-600XYLF	94898-500LF	95079-00XY	NONE	LAYOUT 4	
RIGHT	BELOW	R/A	NONE	61126-500XYLF	94898-500LF	95079-10XY			
LEFT	ABOVE	R/A	NONE	61126-100XYLF	94898-000LF	95079-10XY	NONE	LAYOUT 3	
LEFT	ABOVE	R/A	NONE	61126-100XYHLF④	94898-000LF	95079-10XY	93925-001		
RIGHT	ABOVE	R/A	NONE	61126-000XYHLF④	94898-000LF	95079-00XY	93925-001		
RIGHT	ABOVE	R/A	NONE	61126-000XYLF	94898-000LF	95079-00XY	NONE		
① PUSH ROD LOCATION	② PCB SIDE	SOLDER TAIL	DIM. L STAND-OFF	TO MAKE FINAL ASS'Y PART NUMBER	HEADER PART NUMBER	MECHANISM ASS'Y P/N	HOLD-DOWN (4 PCS)	PCB LAYOUT SEE PAGE 3	

NOTE: (CONTIONOUS FROM SHEET 2)

5. IF LEAD FREE P/N. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
SOLDER TAIL : SMT-IL, SMT-STG CAN RESIST 40 SECONDS IN A CONVECTION,
INFRA-RED OR VAPOR PHASE REFLOW OVEN.
SOLDER TAIL : R/A CAN RESIST 10 SECONDS IN A WAVE SOLDER APPLICATION
WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.

6. IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATIONS AS DISCRIBED IN GS-22-008

7. LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION

mat'l code				tolerance unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com			
rev.	ecn	no.	dr	date	linear	±0.30		projection 	title NARROW BODY EJ HEADER ASS'Y 68POS.	product family PCMCIA		code	
H										unit mm/inch	size	dwg no.	TWN
					angles	± 2°				scale 1:1		sheet 3 OF	
					dr	WENDY CHEN	07/12/95			sheet			
					engr	L.W. LU	07/12/95			sheet			
					chr	JOSEPH HSIA	07/12/95			sheet			
					appd	JENN TSAO	07/12/95			sheet			
sheet index	revision	sheet											

NOTE: (CONTIONOUS FROM SHEET 2)





5. IF LEAD FREE P/N. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
SOLDER TAIL : SMT-IL, SMT-STG CAN RESIST 40 SECONDS IN A CONVECTION,
INFRA-RED OR VAPOR PHASE REFLOW OVEN.
SOLDER TAIL : R/A CAN RESIST 10 SECONDS IN A WAVE SOLDER APPLICATION
WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
6. IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATIONS AS DISCRIBLED IN GS-22-008
7. LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION

mat'l code					tolerance unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com				
rev.	ecn	no.	dr	date	linear	±0.30		projection 	title NARROW BODY EJ HEADER ASS'Y 68POS.					
H														
					angles	± 2'								
					dr	WENDY CHEN	07/12/95	unit				product family PCMCIA		code
					enrg	L.W. LU	07/12/95	mm/inch				size dwg no.		TWN
					chr	JOSEPH HSIA	07/12/95	scale				A3		sheet
					appd	JENN TSAO	07/12/95	1:1			3 OF			
sheet		revision												
index		sheet												

Tous droits strictement réservés. Reproduction ou communication à des tiers sans quelque forme que ce soit sans autorisation écrite du propriétaire.
Property of c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

PRODUCT NO.
61126-****/****LF



mat'l code					tolerance unless otherwise specified			CUSTOMER COPY		A FCI www.fciconnect.com		
rev.	ecn	no.	dr	date	linear	±0.30		projection 	title NARROW BODY EJ HEADER ASS'Y 68POS.			
F												
					angles	± 2°			product family PCMCIA			code
												mm/inch
					dr	WENDY CHEN	07/12/95	unit	dwg no.		TWN	
					engr	L.W. LU	07/12/95	scale	61126		4 OF	
					chr	JOSEPH HSIA	07/12/95					
					appd	JENN TSAO	07/12/95					
sheet	revision											
index	sheet											