




Copyright FCI.

PRODUCT NUMBER
XXXXX-YYY HPLF


- LEAD FREE OPTION
SEE NOTE 1,13
- SPECIAL OPTIONS
SEE NOTE 1 OR 10
- HIGH TEMPERATURE PLASTIC
SEE NOTE 1
- NO OF
POSITIONS
SEE NOTE 1
- PIN PLATING
SEE SHEET 2
- BASE PART NO.

67996-X XX-XXX XXX LF

- TAIL LENGTH (EXAMPLE BELOW)
3.0mm=030 12.8mm=128
(SEE NOTE 16 & 17)
- MATING LENGTH (EXAMPLE BELOW)
5.0mm=050 25.5mm=255
(SEE NOTE 16 & 17)
- TOTAL NUMBER OF POSITIONS
FROM 2 (2X1) THRU 72 (2X36) POS.
- PIN PLATING (SEE NOTE 14)
1=0.76µm Au
4= PURE TIN
8=0.36µm Au
- BASE PART NO.
DOUBLE ROW




TOP VIEW



SIDE VIEW

END VIEW



RECOMMENDED HOLE PATTERN

DETAIL P
SCALE 5:1
TYP BOTH ENDS

25°±5°
4 SIDES

rev	ecn no	dr	date
CY	M06-0468	MHT	11/27/06
DA	M08-0169	MHT	2/20/08
DB	M08-0272	MHT	9/25/08
DC	M08-0331	MHT	12/01/08
DD	M09-0105	MHT	7/10/09
DE	N11-0118	J.Z	2011-04-12
DF	N11-0180	J.Z	2011-05-31

www.fciconnect.com			surface 6.4 ISO 1302	tolerance std ISO 406 ISO 1101	projection A4	INCH/MM Scale 1.000
Dr	T.BREWBAKER	12/21/94	ANGULAR LINEAR	0.X ±.3	size	ECN N11-0180
Eng	T.HANNA	12/21/94		0.XX ±.15		
Chr	J.MURPHY	12/21/94		0.XXX ±.05		
Appr	T.HANNA	12/21/94	Product family	BERGSTIK	Spec ref	
FCI			title BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT			Rev. DF
catalog no			CUSTOMER			sheet 1 of 8

PIN PLATING CODES:

XXXX-1YY	30u"/0.76u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni
XXXX-2YY	15u"/0.38u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni
XXXX-3YY	50u"/1.27u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni
XXXX-4YY	100u"/2.54u MIN Sn OVER 50u"/1.27u MIN Ni (SEE NOTE 15)
XXXX-4YYHLF	
XXXX-5YY	15u"/0.38u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni
XXXX-6YY	30u"/0.76u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni
XXXX-7YY	30u"/0.76u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni
XXXX-8YY	15u"/0.38u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni
XXXX-9YY	15u"/0.38u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni
XXXX-0YY	30u"/0.76u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni

NOTES

① PART NUMBER OPTIONS:

PIN PLATING CODES (SEE ABOVE)

HIGH TEMPERATURE MATERIAL:

PART NUMBERS WITH AND WITHOUT "H" WILL BE SUPPLIED WITH HIGH TEMPERATURE PLASTIC.

NUMBER OF POSITIONS :

EVEN NUMBER OF POSITIONS FROM 2 (2X1) THROUGH 72 (2X36).
 -X00H INDICATES BERGSTRIIP PRODUCT. SEE PAGE 3
 FOR SPECIAL GEOMETRY OF THIS CONTINUOUS STRIP PRODUCT.
 AUTOMATED REELS WILL CONTAIN 45,000 PINS.
 SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

PACKAGING:

PACKAGED IN POLY BAGS.
 EIGHT DIGIT PART NUMBERS FOLLOWED BY A "T" ARE PACKAGED
 IN TUBES. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.
 EIGHT DIGIT PART NUMBERS FOLLOWED BY A "G" ARE PACKAGED
 IN GPAX FOR IBM ONLY. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.
 PART NUMBERS FOLLOWED BY A "C" ARE PACKAGED IN TUBES
 WITH A PICKUP CAP APPLIED.

LEAD FREE:

ADD "HLF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE
 OPTION, NOT AVAILABLE FOR -5YY,-5YYH, -6YY & -6YYH

② BODY MATERIAL:

BODY MATERIAL : MANUFACTURER'S OPTION OF NYLON, PCT GLASS FIBER
 REINFORCED OR MINERAL FILLED LCP FLAME RETARDENT PER UL-94V-0.
 COLOR: BLACK

BERGSTRIIP™ PRODUCED WITH HIGH TEMPERATURE LCP
 THERMOPLASTIC, FLAME RETARDENT PER UL-94V-0.
 COLOR: BLACK

PART NUMBERS WITH "H" AND WITHOUT SUFFIX WILL WITHSTAND EXPOSURE
 TO 260° C PEAK TEMPERATURE FOR 20 SECONDS IN
 WAVE SOLDER, INFRA-RED OR VAPOR PHASE SOLDER PROCESS.

③ PIN MATERIAL: PHOS BRONZE.

④ MEASURED WITH PART IN RESTRAINED CONDITION.

5. TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.

⑥ 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.

7. MILITARY BERGSTIK HEADER
 P/N XXXXX-YYY-MIL
 NOT AVAILABLE.

⑧ ±.010/0.25 TOL APPLIES TO ALL "G" TAILS EXCEPT
 INDICATED PARTS ON TABLE WHERE +.010/0.25 -.000/0.00
 APPLIES.

⑨ NOTCH CONFIGURATION WILL VARY PER VENDOR'S DISCRETION.

⑩ BERGSTRIIP™ PART NUMBERS FOLLOWED BY
 BY A "B" ARE BULK PRICED.

⑪ TAIL LENGTH (DIM. G) TO BE ±.008/0.20.

12. POSITIONS PER ROW 37 TO 50 CAN BE PRODUCED,
 BUT FLATNESS AND CURVATURE MAY NOT BE
 HELD AS CLOSE AS 36 POSITIONS.

⑬ THESE PRODUCTS MEETS EUROPEAN UNION DIRECTIVES AND OTHER
 COUNTRY REGULATION AS DESCRIBED IN GS-22-008.

⑭ PLATING OPTIONS:
 PERFORMANCE PLATING WILL BE EITHER GOLD OR GXT ON POST OR TAIL,
 OPTIONALLY (78~295u"/2~7.5u) TIN ON TAIL.

⑮ "THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND
 HAS NOT BEEN TESTED FOR WHISKER GROWTH IN ALL INTERCONNECT
 ENVIRONMENTS."

⑯ THE OAL DON'T EXCEED 34.5mm

⑰ INCREMENTS BY 0.1mm IN LENGTHS ONLY

18. FOR SPECIAL PACKAGING REQUEST PLEASE CONTACT PRODUCT MANAGER FOR AVAILABILITY

⑰ TO DETERMINE DIMENSIONS:
 N=NUMBER OF POSITION PER ROW
 EXAMPLE: 10 POS. N X .100/2.54

www.fciconnect.com			surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection INCH/MM
TOLERANCES UNLESS OTHERWISE SPECIFIED			size A4 Scale 1.000		
Dr	T.BREWBAKER	12/21/94	ANGULAR	0.X	±0.3
Eng	T.HANNA	12/21/94		0.XX	±0.15
Chr	J.MURPHY	12/21/94	0° ±2°	0.XXX	±0.05
Appr	T.HANNA	12/21/94	Product family BERGSTIK		Spec ref
FCI			title BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT		dwg no 67996
catalog no			CUSTOMER		Rev. DF
			sheet 2 of 8		



Copyright FCI.

1

2

3

4




A

B


C

D

BERGSTRIPTM HEADER



REEL PACKING DIMENSIONS



A

B

C

D

1

2

PDM: Rev:DF

STATUS:Released 4 Printed: Jun 02, 2011

www.fciconnect.com			surface ISO 1302 ✓		tolerance std ISO 406 ISO 1101		projection 		INCH/MM 					
			TOLERANCES UNLESS OTHERWISE SPECIFIED											
Dr	T.BREWBAKER	12/21/94	ANGULAR	LINEAR	0.X ±0.3		size A4	Scale 1.000						
Eng	T.HANNA	12/21/94			0.XX ±0.15									
Chr	J.MURPHY	12/21/94			0.XXX ±0.05									
			0° ±2°				ECN		N11-0180					
Appr	T.HANNA	12/21/94	Product family			BERGSTIK		Spec ref						
		title				BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT			no		67996		Rev	DF
		catalog no							CUSTOMER		sheet 3 of 8			

1

2

3

4

PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH		PACKAGING	NOTES	BERGSTRIIP™ AVAILABLE	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H				
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
55005-XYH	0.597	15.16	0.095	2.41	0.402	10.21	POLY BAGS	—	YES	NOTE 1,13
55030-XYH	0.630	16.00	0.150	3.81	0.380	9.65	POLY BAGS	—	YES	
67996-XY	0.425	10.80	0.095	2.41	0.230	5.84	POLY BAGS/TUBES	—	YES	NOTE 1,13
67997-XY	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS/TUBES	—	YES	
67997-XYH	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS/TUBES	—	YES	
67998-XY	0.525	13.34	0.107	2.72	0.318	8.08	POLY BAGS/TUBES	—	YES	
67999-XY	0.548	13.92	0.130	3.30	0.318	8.08	POLY BAGS	—	NO	
68438-XY	0.555	14.10	0.225	5.72	0.230	5.84	POLY BAGS/TUBES	—	NO	
68439-XY	0.720	18.29	0.120	3.05	0.500	12.70	POLY BAGS	—	NO	
68464-XY	0.650	16.51	0.120	3.05	0.430	10.92	POLY BAGS/TUBES	—	NO	
68481-XY	0.480	12.19	0.095	2.41	0.285	7.24	POLY BAGS/TUBES	—	NO	
68482-XY	0.938	23.83	0.318	8.08	0.520	13.21	POLY BAGS	—	NO	
68491-XY	0.475	12.07	0.120	3.05	0.255	6.48	POLY BAGS/TUBES	—	NO	
68600-XY	0.825	20.96	0.115	2.92	0.610	15.49	POLY BAGS	—	NO	
68601-XY	0.620	15.75	0.120	3.05	0.400	10.16	POLY BAGS	—	NO	
68602-XY	0.480	12.19	0.150	3.81	0.230	5.84	POLY BAGS	—	YES	
68690-XY	0.533	13.54	0.115	2.92	0.318	8.08	POLY BAGS	—	NO	
68691-XY	0.538	13.67	0.120	3.05	0.318	8.08	POLY BAGS	—	YES	
68692-XY	0.430	10.92	0.100	2.54	0.230	5.84	POLY BAGS	—	NO	
68693-XY	0.938	23.83	0.520	13.21	0.318	8.08	POLY BAGS	—	NO	
68716-XY	0.828	21.03	0.410	10.41	0.318	8.08	POLY BAGS	—	NO	
68734-XY	0.615	15.62	0.230	5.84	0.285	7.24	POLY BAGS	—	NO	
68737-XY	0.440	11.18	0.110	2.79	0.230	5.84	POLY BAGS	—	YES	
68738-XY	0.615	15.62	0.115	2.92	0.400	10.16	POLY BAGS	—	NO	
68739-XY	0.486	12.34	0.156	3.96	0.230	5.84	POLY BAGS	—	NO	
68743-XY	0.638	16.21	0.220	5.59	0.318	8.08	POLY BAGS	—	NO	
68749-XY	0.838	21.29	0.420	10.67	0.318	8.08	POLY BAGS	—	NO	
68779-XY	0.736	18.69	0.318	8.08	0.318	8.08	POLY BAGS	—	NO	
68783-XY	0.375	9.53	0.045	1.14	0.230	5.84	POLY BAGS	—	NO	
68799-XY	0.925	23.50	0.595	15.11	0.230	5.84	POLY BAGS	—	NO	NOTE 1,13

REV F - 2006-04-17

www.fciconnect.com			surface ISO 1302 ✓		tolerance std ISO 406 ISO 1101		projection 		INCH/MM 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	T.BREWBAKER	12/21/94	ANGULAR	LINEAR	0.X	±0.3	size	A4	Scale 1.000	
Eng	T.HANNA	12/21/94			0.XX	±0.15				
Chr	J.MURPHY	12/21/94			0.XXX	±0.05	ECN		N11-0180	
Appr	T.HANNA	12/21/94	Product family		BERGSTIK		Spec ref			
			title BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT			dwg no 67996			Rev DF	
			catalog no			CUSTOMER			sheet 4 of 8	

PDM: Rev:DF

STATUS:Released 4 Printed: Jun 02, 2011

1

2

3

4

	PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH				BERGSTRIPTM	LF OPTION	
		DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	PACKAGING	NOTES	AVAILABLE		
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC					
A	69132-XY	0.760	19.30	0.120	3.05	0.540	13.72	POLY BAGS/TUBES	—	NO	NOTE 1,13	
	69133-XY	0.615	15.62	0.285	7.24	0.230	5.84	POLY BAGS	—	NO		
	69157-XY	0.410	10.41	0.110	2.79	0.200	5.08	POLY BAGS	—	NO		
	71217-XYH	1.000	25.40	0.450	11.43	0.450	11.43	POLY BAGS	—	NO		
	71222-XYH	0.850	21.59	0.250	6.35	0.500	12.70	POLY BAGS	—	NO		
	72273-XYH	0.725	18.42	0.110	2.79	0.515	13.08	POLY BAGS	—	NO		
	72448-XYH	0.658	16.71	0.172	4.37	0.386	9.80	POLY BAGS	—	NO		
B	72455-XYH	0.598	15.19	0.180	4.57	0.318	8.08	POLY BAGS	—	NO		
	72455-632HG	0.598	15.19	0.180	4.57	0.318	8.08	GPAX	NOTE 1	NO		
	73503-XYH	0.420	10.67	0.120	3.05	0.200	5.08	POLY BAGS	—	NO		
	73596-XYH	0.795	20.19	0.110	2.79	0.585	14.86	POLY BAGS	—	NO		
	74317-XYH	0.532	13.51	0.309	7.85	0.123	3.12	POLY BAGS	NOTE 11	NO		
	74318-XYH	0.592	15.04	0.369	9.37	0.123	3.12	POLY BAGS	NOTE 11	NO		
	74999-XYH	0.508	12.90	0.090	2.29	0.318	8.08	POLY BAGS	—	NO		
	78212-XY	0.710	18.03	0.350	8.89	0.260	6.60	POLY BAGS	—	NO		
	78233-XY	0.568	14.43	0.150	3.81	0.318	8.08	POLY BAGS	—	NO		
	78269-XY	0.385	9.78	0.095	2.41	0.190	4.83	POLY BAGS	—	NO		
C	78286-XY	0.500	12.70	0.160	4.06	0.240	6.10	POLY BAGS/TUBES	—	NO		
	78932-XY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		
	78933-XY	0.695	17.65	0.285	7.24	0.310	7.87	POLY BAGS	—	NO		
	78988-XY	0.540	13.72	0.135	3.43	0.305	7.75	POLY BAGS	—	NO		
	78989-XY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		
	78990-XY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		
	78991-XY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		
	78992-XY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		
	78993-XY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		
	78994-XY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		
		UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		
D		UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—	NOTE 1,13	
		UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			—	—		

REV F - 2006-04-17

1

2

PDM: Rev:DF

STATUS:Released 4 Printed: Jun 02, 2011

www.fciconnect.com			surface ISO 1302 ✓		tolerance std ISO 406 ISO 1101		projection 		INCH/MM 		
			TOLERANCES UNLESS OTHERWISE SPECIFIED								
Dr	T.BREWBAKER	12/21/94	ANGULAR	LINEAR	0.X ±0.3		size A4	Scale 1.000			
Eng	T.HANNA	12/21/94			0.XX ±0.15						
Chr	J.MURPHY	12/21/94			0.XXX ±0.05			ECN N11-0180			
Appr	T.HANNA	12/21/94	Product family BERGSTIK				Spec ref				
	title				BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT				dwg no 67996		Rev DF
	catalog no								CUSTOMER		sheet 5 of 8

A

B

C

D



Copyright FCI.

D

1

2

3

4

PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH		PACKAGING	NOTES	BERGSTRIPTM AVAILABLE	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H				
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
78995-YYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE		POLY BAGS	—	—	NOTE 1,13
78996-YYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE		POLY BAGS	—	—	
79242-YYY	0.930	23.62	0.340	8.64	0.490	12.45	POLY BAGS	—	NO	NOTE 1,13
79243-YYY	1.230	31.24	0.390	9.91	0.740	18.80	POLY BAGS	—	NO	
79244-YYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE		POLY BAGS	—	—	
79268-YYY	1.020	25.91	0.120	3.05	0.800	20.32	POLY BAGS	—	NO	
79271-YYY	1.100	27.94	0.500	12.70	0.500	12.70	POLY BAGS	—	NO	
79425-YYY	0.410	10.41	0.120	3.05	0.190	4.83	POLY BAGS	—	NO	
79821-YYY	0.730	18.54	0.200	5.08	0.430	10.92	POLY BAGS	—	NO	
84610-YYYH	0.380	9.65	0.120	3.05	0.160	4.06	POLY BAGS	—	NO	
84760-YYYH	0.870	22.09	0.150	3.81	0.620	15.74	POLY BAGS	—	NO	
84784-YYYH	1.130	28.70	0.122	3.09	0.908	23.06	POLY BAGS	—	NO	
84934-YYYH	1.375	34.93	0.625	15.88	0.650	16.51	POLY BAGS	—	NO	
84976-YYYH	0.730	18.54	0.400	10.16	0.230	5.84	POLY BAGS	—	NO	
86503-YYY	0.470	11.94	0.120	3.05	0.250	6.35	POLY BAGS	—	NO	
86581-YYY	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS	NOTE 8	NO	
86817-YYY	0.925	23.50	0.120	3.05	0.705	17.91	POLY BAGS	—	NO	
86827-YYY	0.700	17.78	0.120	3.05	0.480	12.19	POLY BAGS	—	NO	
86832-YYY	0.525	13.34	0.100	2.54	0.325	8.26	POLY BAGS	—	NO	
86834-YYY	1.335	33.91	0.585	14.86	0.650	16.51	POLY BAGS	—	NO	
86836-YYY	0.870	22.10	0.120	3.05	0.650	16.51	POLY BAGS	—	NO	
86837-YYY	0.600	15.24	0.120	3.05	0.380	9.65	POLY BAGS	—	NO	
87037-YYY	1.240	31.50	0.120	3.05	1.020	25.91	POLY BAGS	—	NO	
87052-YYY	0.990	25.15	0.120	3.05	0.770	19.56	POLY BAGS	—	NO	
87203-YYY	0.545	13.84	0.150	3.81	0.295	7.49	POLY BAGS	—	NO	
87344-YYY	1.375	34.93	0.219	5.56	1.056	26.82	POLY BAGS	—	NO	NOTE 1,13

Copyright FCI.

D

www.fciconnect.com			surface ISO 1302 ✓		tolerance std ISO 406 ISO 1101		projection A4		INCH/MM ←→	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	T.BREWBAKER	12/21/94	ANGULAR	LINEAR	0.X	±0.3	size	A4	Scale	1.000
Eng	T.HANNA	12/21/94			0.XX	±0.15				
Chr	J.MURPHY	12/21/94			0.XXX	±0.05				
Appr	T.HANNA	12/21/94	Product family		BERGSTIK		Spec ref			
FCI			title BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT				dwg no 67996		Rev. DF	
			catalog no				CUSTOMER		sheet 6 of 8	

REV F - 2006-04-17

1

2

PDM: Rev:DF

STATUS:Released 4 Printed: Jun 02, 2011

REV F - 2006-04-17

1		2					3			4	
PRODUCT NUMBER		TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH				BERGSTRIPTM	LF OPTION
		DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	PACKAGING	NOTES	AVAILABLE	
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
A	94010-YYYH	0.756	19.20	0.350	8.89	0.306	7.77	POLY BAGS	—	NO	NOTE 1,13
	94532-YYYH	1.250	31.75	0.450	11.43	0.700	17.78	POLY BAGS	—	NO	
	95105-XXY	0.370	9.40	0.126	3.20	0.144	3.66	POLY BAGS	—	NO	
	95645-YYYH	0.350	8.89	0.100	2.54	0.150	3.81	POLY BAGS	—	NO	
	95652-YYYH	0.500	12.70	0.070	1.78	0.330	8.38	POLY BAGS	—	NO	
B	95665-YYYH	0.835	21.21	0.335	8.51	0.400	10.16	POLY BAGS	—	NO	NOTE 1,13
	95687-YYYH	0.820	20.83	0.360	9.14	0.360	9.14	POLY BAGS	—	NO	
	95712-YYYH	1.090	27.69	0.110	2.79	0.880	22.35	POLY BAGS	—	NO	
	95727-YYYH	0.825	20.96	0.110	2.79	0.615	15.62	POLY BAGS	—	NO	
	98181-YYYH	0.760	19.30	0.218	5.54	0.442	11.23	POLY BAGS	—	NO	
	98217-YYYH	0.756	19.20	0.328	8.33	0.328	8.33	POLY BAGS	—	NO	
	98329-YYYH	0.930	23.62	0.415	10.54	0.415	10.54	POLY BAGS	—	NO	
	98854-YYYH	0.450	11.43	0.120	3.05	0.230	5.84	TUBES	—	NO	
	10017852-YYYH	0.450	11.43	0.125	3.18	0.225	5.72	POLYBAGS	—	NO	
	10074747-YYYH	0.850	21.59	0.520	13.21	0.230	5.84	POLYBAGS	—	NO	



Copyright FCI.

www.fciconnect.com			surface ISO 1302 ☒		tolerance std ISO 406 ISO 1101		projection 		INCH/MM 		
			TOLERANCES UNLESS OTHERWISE SPECIFIED								
Dr	T.BREWBAKER	12/21/94	ANGULAR	LINEAR	0.X	±0.3	size A4	Scale 1.000			
Eng	T.HANNA	12/21/94			0.XX	±0.15					
Chr	J.MURPHY	12/21/94			0.XXX	±0.05					
Appr	T.HANNA	12/21/94	Product family BERGSTIK				ECN N11-0180				
			title BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT				dwg no 67996		Rev. DF		
			catalog no				CUSTOMER		sheet 8 of 8		