

New! 6AA LED Spotlight

	CURRENT	NEW
Type Name	TUF4CPE	HCSP61E
UPC Change	NEW UPC	
Weights & Measures	NEW W&M	
Light Output	130 lumens	500 lumens 150 lumens
Run Time	11 hours	6 hours (high) 15 hours (low)
Beam Distance	360 meters	425 meters
Impact Resistance	4 meters	7 meters
Water Resistance	IPX4	IPX4



Start Ship: 8/15/2014



6AA LED Spotlight






Features & Benefits

- LED bulbs produces a tight white spot light with an intense focused beam
- High & low modes for brightness & run time control
- Ideal for long distance applications and searching
- Rugged ABS, steel and rubber construction stands up to a wide range of outdoor activities
- Durable light survives drops up to 7 meters and features a shatterproof lens
- Includes 6 Energizer® MAX® AA batteries



Pricing Information

Type Name: HCSP61E

	 Light Output	 Run Time	 Beam Distance	 Impact Resistant	 Water Resistant
High	500 lumens	6 hours	425 meters	7 meters	IPX4
Low	150 lumens	15 hours			

Start Ship: 8/15/2014





6AA LED Spotlight

ENR HCP 6AA LED SPOTLIGHT

Type Name HCSP61E
 Pack Code 1
 Material Number E1222401
 Country of Origin China

FINANCIAL INFORMATION

Unit List Price
 Case List Price

UNIT OF SALE INFORMATION

UPC 039800122247
 Dimensions 12.00" H 4.400" L 8.000" W
 Volume 0.244 cu ft
 Weight 1.940 lbs

INNER CARTON INFORMATION


Dimensions "" H "" L "" W
 Volume
 Weight lbs
 Units per Inner

CASE INFORMATION

UPC 30039800122248
 Dimensions 10.00" H 12.37" L 8.252" W
 Volume 0.591 cu ft
 Weight 4.630 lbs
 Inners per Case
 Units per Case 2


PALLET INFORMATION

Dimensions 45.00" H 48.00" L 40.00" W
 Volume 50.000 cu ft
 Weight 346.300 lbs
 Cases per Layer 16
 Layers per Pallet 4
 Cases per Pallet 64



0 39800 12224 7
 ENR HCP 6AA LED SPOTLIGHT

Unit UPC



3 003 9800 12224 8
 ENR HCP 6AA LED SPOTLIGHT

Case UPC

Start Ship: 8/15/2014

