

Ovelo

OVE025309

Old item no.: 16766BK



Ovelo T30 BI 106 932 LED BAS NA

Ovelo is a modern LED task light with a unique design and all metal construction making it stand out in any office environment. A covered spring-balanced arm design provides complete flexibility of the pivoting arm and lamp head, yet its overall size is modest. Ovelo uses dimmable LEDs to illuminate an entire worksurface and incorporates automatic shut-off to further enhance energy savings. Table/desk base mount.

Color: black.



Lightsource

Number of lamps	1
Lamp power (W)	6
Lightsource	LED
CRI and/or Color Temperature	CRI 90, 3250K
Lumen Out	350
Lumen/Watt	44
LLMF LED 50000h Ta25	0.70
MacAdam step	3,5
Average useful life (IEC 62717) Ta25	50000h L70B50

Termination

Optic	ASY
Plug type	NA
Mounting	Table/desk base
Cord length (ft)	5

Technical data

Maximum ambient temperature (°C)	25
IP classification	20

Body

Body material	Steel
Body color	Black

Electrical data

Maximum voltage (V)	240
Maximum frequency (Hz)	60
Minimum frequency (Hz)	50
Voltage from (V)	100
Total consumption (W)	8

Optic

Color of reflector	White
Material of diffuser	Polycarbonate
Material of reflector	PC
Light distribution Up/Down	0/100

Dimensions

Net weight (kg)	3
Arm length (in.)	29

Ballast

Type of Ballast	AC/DC = alternating current/ direct current
-----------------	---

Ovelo
OVE025309



Ovelo T30 BI 106 932 LED BAS NA

Ovelo is a modern LED task light with a unique design and all metal construction making it stand out in any office environment. A covered spring-balanced arm design provides complete flexibility of the pivoting



Photos



Ovelo OVE025309



Ovelo T30 BI 106 932 LED BAS NA

Ovelo is a modern LED task light with a unique design and all metal construction making it stand out in any office environment. A covered spring-balanced arm design provides complete flexibility of the pivoting arm and lamp head, yet its overall size is modest. Ovelo uses dimmable LEDs to illuminate an entire workspace and incorporates automatic



Drawings

