RTV Silicones



ALL MG PRODUCTS 🕶

Jump to Product Number



Accessories

Adhesives

Brushes

Cleaners / Degreasers

Contact Cleaners

Desoldering Braid

Dusters & Circuit Coolers

EMI / RFI Shielding

Epoxies

Flux and Flux Remover

Glass & Screen Cleaners

Isopropyl Alcohol

Lead Free Solder

Lubricants

Potting & Encapsulating

Protective Coatings

<u>Pens</u>

Prototyping Materials

RTV Silicones

Soldering/desoldering

Specialized Cleaners

<u>Swabs</u>

Thermal Management

Thermally Conductive

Adhesives

Wipes

RTV Silicones by MOMENTIVE performance materials Primer for 2-part RTV Silicones SS4155

▶ BUY NOW

Primary Characteristics

For one and two part silicones

Applications

- Airframe/External
- Exterior
- Interior

Ready to use, silicone primer for use with one and two part room temperature or heat cured RTV silicone compounds to bind to metals, ceramics, some rigid plastics and wood. Blue color makes easy visual determination of uniform coating.

Available Sizes

Catalog Number	Sizes Available	Description	Case Qty
SS4155-1P	1 pint	0.8 lbs	6

Specifications

Appearance	Blue
D.O.T. Label	Flammable
Density	0.82 g/cm ³
Dry time	60.0 minute(s)
Flash Point	37.0 C
Silicone Content	10.0 %
Solvent	Mineral spirits

Technical Support for RTV Silicones

JRoHS

1-800-255-8886

M.G. Chemicals Disclaimer for RTV Silicones >

Locate Distributor >

Quick Links

- ► MSDS
- Specifications
- Available Sizes
- Primer Guide

Related products:

- SS4004P
- SS4044P
- SS4120
- SS4179

Resources

- ▶ Selection Guide >
- One Part Chart
- Two Part Chart

Find by Application

General Purpose >

Aerospace >

Marine >

High Performance Assembly >

Electronics >

Thermal Conductivity >

High Temperature >

Low Temperature >



Return to top ^

© 2000 - 2007 MG Chemicals. All rights reserved. Site Map Terms & Conditions Contact Us

web site design by offbeat studio