






- NOTES:
1. ALL REQUIREMENTS FOR TAPING SURFACE MOUNT COMPONENTS IS AS PER EIA-481 STANDARD.
 3. THE TOP COVER TAPE SHALL BE CLEAR ONLY, AND SHALL NOT EXTEND OVER THE EDGES OF THE CARRIER TAPE OR COVER ANY PART OF THE SPROCKET HOLES.
 4. THE TOP COVER TAPE MUST BE SECURELY ATTACHED TO THE EMBOSSED CARRIER TAPE BY USE OF HEAT.
 5. EACH REEL SHALL HAVE A LABEL AFFIXED TO IT WITH THE FOLLOWING INFORMATION:
PART NO., QUANTITY, DATE CODE
 6. EACH REEL MUST BE PACKED IN AN MBB BAG.
 7. TAPE SPLICES ARE NOT PERMITTED.




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
QUALITY SYMBOLS		RE-MASTERED IN ECTR		2017/06/27 2017/08/10 2017/08/10		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®							
								MM		NTS									
= 0										DRWN BY		DATE		PACKAGING SPECIFICATION FOR 87832 IN T&R					
= 0										ATSEE		2015/08/24							
= 0										CHK'D BY		DATE							
= 0				2 PLACES		CGOH		2015/08/24		PACKAGING DESIGN DRAWING									
= 0				1 PLACES		APPR BY		DATE											
= 0				0 PLACES		KHLIM		2017/05/26											
= 0		EC NO: 119993		MUM		ANGULAR TOL ± 1.0		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER			
= 0		DRWN: MUM		CHK'D: GMENARLY		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				87832		SEE TABLE		GENERAL MARKET			
= 0		A		REV								DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
= 0												PK-87832-300		PDD		001		1 OF 12	

TAPE AND REEL PACKAGING SPECIFICATIONS

EMBOSSED TAPE WIDTH FROM 16.00mm TO 24.00mm
8 CKT USE FOR ILLUSTRATION ONLY.




EMBOSSED TAPE WIDTH FROM 44.00mm TO 72.00mm
24 CKT USE FOR ILLUSTRATION ONLY.




NOTES:



1. LEADER AND TRAILER TAPE



2. PEELING OFF FORCE OF THE TOP TAPE: 10 - 130gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



3. TAPE AND REEL SPECIFICATION IS AS PER EIA-481.
4. TAPE AND REEL QUANTITY : SEE TABLE
5. THE TAPE IS TREATED FOR ANTI-STATIC.



W	F	So	P2
16	7.50±0.10	-	2.00±0.10
24	11.50±0.10	-	2.00±0.10
32	14.20±0.10	28.40±0.10	2.00±0.10
44	20.20±0.15	40.40±0.10	2.00±0.15
56	26.20±0.15	52.40±0.10	2.00±0.15
72	34.20±0.30	68.40±0.10	2.00±0.20

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
QUALITY SYMBOLS		RE-MASTERED IN ECTR EC NO: 119993 DRWN: MUM CHK'D: GMENARLY APPR: KHLIM				GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®			
						MM	INCH	MM		NTS					
= 0								DRWN BY		DATE		PACKAGING SPECIFICATION FOR 87832 IN T&R			
= 0								ATSEE		2015/08/24					
= 0								CHK'D BY		DATE					
= 0								CGOH		2015/08/24					
= 0								APPR BY		DATE					
= 0								KHLIM		2017/05/26		PACKAGING DESIGN DRAWING			
= 0								DRAWING SIZE		THIRD ANGLE PROJECTION					
= 0								ANGULAR TOL ± 1.0		A3		SERIES		MATERIAL NUMBER	
= 0				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		87832		SEE TABLE				GENERAL MARKET			
= 0						DOCUMENT NUMBER		DOC TYPE				DOC PART		SHEET NUMBER	
								PK-87832-300		PDD		001		2 OF 12	

CKTS	PART NUMBER	EMBOSSSED TAPE	REEL	TOP TAPE	OPTION (SEE SHEET 12)	EMBOSS WIDTH	QTY./REEL	REELS/ CARTON	BUBBLE SHEETS QTY.			CORNER GUIDES 78888-1251
									TOP	CENTER	BOTTOM	
8	87832-0806	89990-7753	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-0807	89990-7753	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-0814	89990-7603	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-0828	89990-7753	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-0829	89990-7753	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-0836	89990-7753	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-0842	89990-7753	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5322	89990-7603	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5323	89990-7603	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5352	89990-7603	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5362	89990-7603	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5372	89990-7603	89990-5710	89990-5603	1	24	500	5	-	-	-	-

QUALITY SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																			
	RE-MASTERED IN ECTR EC NO: 119993 DRWN: MUM CHK'D: GMENARLY REV APPR: KHLIM	2017/06/27 2017/08/10 2017/08/10	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® PACKAGING SPECIFICATION FOR 87832 IN T&R																										
						MM		NTS																												
			4 PLACES		±	±	DRWN BY		DATE				PACKAGING DESIGN DRAWING <table><tr><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td></tr><tr><td>87832</td><td>SEE TABLE</td><td colspan="2">GENERAL MARKET</td></tr><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">PK-87832-300</td><td>PDD</td><td>001</td><td colspan="2">4 OF 12</td></tr></table>			SERIES	MATERIAL NUMBER	CUSTOMER		87832	SEE TABLE	GENERAL MARKET		DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		PK-87832-300		PDD	001	4 OF 12		
			SERIES	MATERIAL NUMBER	CUSTOMER																															
			87832	SEE TABLE	GENERAL MARKET																															
			DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER																													
			PK-87832-300		PDD	001	4 OF 12																													
			3 PLACES		±	±	ATSEE		2015/08/24																											
			2 PLACES		±	±	CHK'D BY		DATE																											
1 PLACES			±	±	CGOH		2015/08/24																													
0 PLACES		±	±	APPR BY		DATE																														
ANGULAR TOL ± 1.0		KHLIM		2017/05/26																																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION																																
		A3																																		

CKTS	PART NUMBER	EMBOSSSED TAPE	REEL	TOP TAPE	OPTION (SEE SHEET 12)	EMBOSS WIDTH	QTY./REEL	REELS/ CARTON	BUBBLE SHEETS QTY.			CORNER GUIDES 78888-1251
									TOP	CENTER	BOTTOM	
10	87832-1006	89990-7754	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-1007	89990-7754	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-1014	89990-7604	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-1028	89990-7754	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-1029	89990-7754	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-1040	89990-7754	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-1042	89990-7754	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5422	89990-7604	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5423	89990-7604	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5462	89990-7604	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-5472	89990-7604	89990-5710	89990-5603	1	24	500	5	-	-	-	-
	87832-9423	89990-7704	89990-5710	89990-5603	2	24	400	5	-	-	-	-


QUALITY SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																			
	RE-MASTERED IN ECTR EC NO: 119993 DRWN: MUM CHK'D: GMENARLY REV APPR: KHLIM	2017/06/27 2017/08/10 2017/08/10	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® PACKAGING SPECIFICATION FOR 87832 IN T&R																										
						MM		NTS																												
			4 PLACES		±	±	DRWN BY		DATE				PACKAGING DESIGN DRAWING <table><tr><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td></tr><tr><td>87832</td><td>SEE TABLE</td><td colspan="2">GENERAL MARKET</td></tr><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">PK-87832-300</td><td>PDD</td><td>001</td><td colspan="2">5 OF 12</td></tr></table>			SERIES	MATERIAL NUMBER	CUSTOMER		87832	SEE TABLE	GENERAL MARKET		DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		PK-87832-300		PDD	001	5 OF 12		
			SERIES	MATERIAL NUMBER	CUSTOMER																															
			87832	SEE TABLE	GENERAL MARKET																															
			DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER																													
			PK-87832-300		PDD	001	5 OF 12																													
			3 PLACES		±	±	ATSEE		2015/08/24																											
			2 PLACES		±	±	CHK'D BY		DATE																											
1 PLACES			±	±	CGOH		2015/08/24																													
0 PLACES		±	±	APPR BY		DATE																														
ANGULAR TOL ± 1.0		KHLIM		2017/05/26																																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION																																
		A3																																		

CKTS	PART NUMBER	EMBOSSSED TAPE	REEL	TOP TAPE	OPTION (SEE SHEET 12)	EMBOSS WIDTH	QTY./REEL	REELS/ CARTON	BUBBLE SHEETS QTY.			CORNER GUIDES 78888-1251
									TOP	CENTER	BOTTOM	
12	87832-1206	89990-7755	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-1207	89990-7755	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-1242	89990-7755	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-1228	89990-7755	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-1229	89990-7755	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-5522	89990-7605	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-5523	89990-7605	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-5562	89990-7605	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-5572	89990-7605	89990-5711	89990-5604	1	32	500	4	-	-	-	-
14	87832-1414	89990-7756	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-5622	89990-7756	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-5623	89990-7756	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-5662	89990-7756	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-5672	89990-7756	89990-5711	89990-5604	1	32	500	4	-	-	-	-
	87832-9523	89990-7706	89990-5711	89990-5604	2	32	500	4	-	-	-	-


QUALITY SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																		
	RE-MASTERED IN ECTR EC NO: 119993 DRWN: MUM CHK'D: GMENARLY REV APPR: KHLIM	2017/06/27 2017/08/10 2017/08/10	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® PACKAGING SPECIFICATION FOR 87832 IN T&R PACKAGING DESIGN DRAWING <table><tr><td>SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td></tr><tr><td>87832</td><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td></tr><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">PK-87832-300</td><td>PDD</td><td>001</td><td colspan="2">6 OF 12</td></tr></table>				SERIES	MATERIAL NUMBER		CUSTOMER		87832	SEE TABLE		GENERAL MARKET		DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		PK-87832-300		PDD	001	6 OF 12	
						SERIES	MATERIAL NUMBER		CUSTOMER																										
			87832	SEE TABLE		GENERAL MARKET																													
			DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER																												
			PK-87832-300		PDD	001	6 OF 12																												
			MM		NTS																														
			DRWN BY		DATE																														
			ATSEE		2015/08/24																														
			CHK'D BY		DATE																														
CGOH			2015/08/24																																
APPR BY		DATE																																	
KHLIM		2017/05/26																																	
DRAWING SIZE		THIRD ANGLE PROJECTION																																	
A3																																			
ANGULAR TOL ± 1.0																																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																			

9		8		7		6		5		4		3		2		1	
CKTS		PART NUMBER	EMBOSSSED TAPE	REEL	TOP TAPE	OPTION (SEE SHEET 12)	EMBOSS WIDTH	QTY./REEL	REELS/ CARTON	BUBBLE SHEETS QTY.			CORNER GUIDES 78888-1251				
										TOP	CENTER	BOTTOM					
28		87832-6322	89990-7763	89990-5713	89990-5606	1	56	500	2	-	-	-	-				
		87832-6323	89990-7763	89990-5713	89990-5606	1	56	500	2	-	-	-	-				
		87832-6362	89990-7763	89990-5713	89990-5606	1	56	500	2	-	-	-	-				
		87832-6372	89990-7763	89990-5713	89990-5606	1	56	500	2	-	-	-	-				
30		87832-3014	89990-7664	89990-5712	89990-5605	3	56	500	2	-	-	-	-				
		87832-6422	89990-7764	89990-5713	89990-5605	1	56	500	2	-	-	-	-				
		87832-6423	89990-7764	89990-5713	89990-5605	1	56	500	2	-	-	-	-				
		87832-6462	89990-7764	89990-5713	89990-5605	1	56	500	2	-	-	-	-				
		87832-6472	89990-7764	89990-5713	89990-5605	1	56	500	2	-	-	-	-				
32		87832-6522	89990-7765	89990-5713	89990-5606	1	56	500	2	-	-	-	-				
		87832-6523	89990-7765	89990-5713	89990-5606	1	56	500	2	2	2	2	Y				
		87832-6562	89990-7765	89990-5713	89990-5606	1	56	500	2	-	-	-	-				
		87832-6572	89990-7765	89990-5713	89990-5606	1	56	500	2	-	-	-	-				

9		8		7		6		5		4		3		2		1	
RELEASE STATUS		P1	RELEASE DATE		10.08.2017	16:20:55											
9		8		7		6		5		4		3		2		1	
FORMAT: Met-lega-master-ib-prod-A3 REVISION: C DATE: 2017/02/06																	

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
 = 0		RE-MASTERED IN ECTR EC NO: 119993 DRWN: MUM CHKD: GMENARLY REV APPR: KHLIM		2017/06/27 2017/08/10 2017/08/10		GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE									
 = 0								MM		NTS										
 = 0								MM		INCH										
 = 0						4 PLACES		±		±		DRWN BY						DATE		
 = 0						3 PLACES		±		±		ATSEE						2015/08/24		
 = 0						2 PLACES		±		±		CHK'D BY						DATE		
 = 0		1 PLACES		±		±		CGOH		2015/08/24		PACKAGING SPECIFICATION FOR 87832 IN T&R								
 = 0		0 PLACES		±		±		APPR BY		DATE										
								KHLIM		2017/05/26										
						ANGULAR TOL ± 1.0			DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER			
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3				87832		SEE TABLE		GENERAL MARKET			
													DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
													PK-87832-300		PDD		001		9 OF 12	

CKTS	PART NUMBER	EMBOSSSED TAPE	REEL	TOP TAPE	OPTION (SEE SHEET 12)	EMBOSS WIDTH	QTY./REEL	REELS/ CARTON	BUBBLE SHEETS QTY.			CORNER GUIDES 78888-1251
									TOP	CENTER	BOTTOM	
34	87832-3414	89990-7666	89990-5713	89990-5606	3	56	500	2	-	-	-	-
	87832-6622	89990-7766	89990-5713	89990-5606	1	56	500	2	-	-	-	-
	87832-6623	89990-7766	89990-5713	89990-5606	1	56	500	2	-	-	-	-
	87832-6662	89990-7766	89990-5713	89990-5606	1	56	500	2	-	-	-	-
	87832-6672	89990-7766	89990-5713	89990-5606	1	56	500	2	-	-	-	-
40	87832-6922	89990-7769	89990-5713	89990-5605	1	56	500	2	-	-	-	-
	87832-6923	89990-7769	89990-5713	89990-5605	1	56	500	2	-	-	-	-
	87832-6962	89990-7769	89990-5713	89990-5605	1	56	500	2	-	-	-	-
	87832-6972	89990-7769	89990-5713	89990-5605	1	56	500	2	-	-	-	-
42	87832-7023	151000-4140	89990-5772	89990-5607	1	72	150	2	1	-	1	Y

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
 = 0	RE-MASTERED IN ECTR EC NO: 119993 DRWN: MUM CHK'D: GMENARLY REV APPR: KHLIM	2017/06/27 2017/08/10 2017/08/10	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE								
 = 0						MM		NTS								
 = 0			INCH		DATE		PACKAGING SPECIFICATION FOR 87832 IN T&R									
 = 0			4 PLACES ±		ATSEE 2015/08/24											
 = 0			3 PLACES ±		CHK'D BY DATE											
 = 0			2 PLACES ±		CGOH 2015/08/24											
 = 0			1 PLACES ±		APPR BY DATE		PACKAGING DESIGN DRAWING									
 = 0			0 PLACES ±		KHLIM 2017/05/26											
 = 0			ANGULAR TOL ± 1.0		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER			
= 0			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				87832		SEE TABLE		GENERAL MARKET			
= 0	A		REV						DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
									PK-87832-300		PDD		001		10 OF 12	

CKTS	PART NUMBER	EMBOSSSED TAPE	REEL	TOP TAPE	OPTION (SEE SHEET 12)	EMBOSS WIDTH	QTY./REEL	REELS/ CARTON	BUBBLE SHEETS QTY.			CORNER GUIDES 78888-1251
									TOP	CENTER	BOTTOM	
44	87832-4415	89990-7671	89990-5713	89990-5606	3	56	500	2	-	-	-	-
	87832-7122	89990-7771	89990-5713	89990-5606	1	56	500	2	-	-	-	-
	87832-7123	89990-7771	89990-5713	89990-5606	1	56	500	2	-	-	-	-
	87832-7162	89990-7771	89990-5713	89990-5606	1	56	500	2	-	-	-	-
	87832-7172	89990-7771	89990-5713	89990-5606	1	56	500	2	-	-	-	-
46	87832-7222	89990-7772	89990-5772	89990-5607	1	56	500	2	-	-	-	-
	87832-7262	89990-7772	89990-5772	89990-5607	1	56	500	2	-	-	-	-
	87832-7272	89990-7772	89990-5772	89990-5607	1	56	500	2	-	-	-	-
50	87832-7422	89990-7774	89990-5772	89990-5607	1	56	500	2	-	-	-	-
	87832-7423	89990-7774	89990-5772	89990-5607	1	56	500	2	-	-	-	-
	87832-7462	89990-7774	89990-5772	89990-5607	1	56	500	2	-	-	-	-
	87832-7472	89990-7774	89990-5772	89990-5607	1	56	500	2	-	-	-	-

QUALITY SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																															
	RE-MASTERED IN ECTR EC NO: 119993 DRWN: MUM CHK'D: GMENARLY REV APPR: KHLIM	2017/06/27 2017/08/10 2017/08/10	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® PACKAGING SPECIFICATION FOR 87832 IN T&R PACKAGING DESIGN DRAWING <table><tr><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td></tr><tr><td>87832</td><td>SEE TABLE</td><td colspan="2">GENERAL MARKET</td></tr><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">PK-87832-300</td><td>PDD</td><td>001</td><td colspan="2">11 OF 12</td></tr></table>			SERIES	MATERIAL NUMBER	CUSTOMER		87832	SEE TABLE	GENERAL MARKET		DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		PK-87832-300		PDD	001	11 OF 12	
						SERIES	MATERIAL NUMBER	CUSTOMER																								
			87832	SEE TABLE	GENERAL MARKET																											
			DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER																									
			PK-87832-300		PDD	001	11 OF 12																									
			MM		NTS																											
			DRWN BY		DATE																											
			ATSEE		2015/08/24																											
			CHK'D BY		DATE																											
CGOH			2015/08/24																													
APPR BY		DATE																														
KHLIM		2017/05/26																														
DRAWING SIZE		THIRD ANGLE PROJECTION																														
A3																																
ANGULAR TOL ± 1.0			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																

