



SAW Components

Data Sheet B3568





SAW Components

B3568

Low Loss Filter

869,00 MHz

Data Sheet


Features

- Low loss RF filter for remote control application
- Low amplitude ripple
- High image frequency suppression
- No matching network required for operation at 50 Ω
- Package for **Surface Mounted Technology (SMT)**

Terminals

- Ni, gold-plated


Ceramic package **DCC6C**



Dimensions in mm, approx. weight 0,037 g

Pin configuration

- 2 Input
- 5 Output
- 1, 3, 4, 6 Ground



Type	Ordering code	Marking and Package according to	Packing according to
B3568	B39871-B3568-U410	C61157-A7-A67	F61074-V8088-Z000

Electrostatic Sensitive Device (ESD)

Maximum ratings

Operable temperature range	T	-10/+ 60	°C	
Storage temperature range	T_{stg}	-40/+ 85	°C	
DC voltage	V_{DC}	0	V	
Source power	P_S	0	dBm	source impedance 50 Ω



Data Sheet

Characteristics


Operating temperature range: $T = -10 \dots 60 \text{ }^\circ\text{C}$
 Terminating source impedance: $Z_S = 50 \text{ } \Omega$
 Terminating load impedance: $Z_L = 50 \text{ } \Omega$

		min.	typ.	max.	
Center frequency	f_c	—	869,00	—	MHz
Maximum insertion attenuation	α_{\max}	—	4,0	6,0	dB
868,00 ... 870,00 MHz					
Amplitude ripple	$\Delta\alpha$	—	1,5	2,5	dB
868,00 ... 870,00 MHz					
Relative attenuation (relative to α_{\max})	α_{rel}				
800,00 ... 852,00 MHz		39,0	44,0	—	dB
880,00 ... 885,00 MHz		20,0	35,0	—	dB
885,00 ... 889,00 MHz		40,0	45,0	—	dB
889,00 ... 1000,00 MHz		45,0	50,0	—	dB
Temperature coefficient of frequency	TC_f	—	-30	—	ppm/K




Data Sheet

Transfer function



Transfer function (wideband)





SAW Components

B3568

Low Loss Filter

869,00 MHz

Data Sheet

Published by EPCOS AG

Surface Acoustic Wave Components Division, SAW CE AE PD

P.O. Box 80 17 09, D-81617 München

© EPCOS AG 2001. All Rights Reserved.

As far as patents or other rights of third parties are concerned, liability is only assumed for components per se, not for applications, processes and circuits implemented within components or assemblies.

The information describes the type of component and shall not be considered as assured characteristics.

Terms of delivery and rights to change design reserved.

For questions on technology, prices and delivery please contact the sales offices of EPCOS AG or the international representatives.

Due to technical requirements components may contain dangerous substances. For information on the type in question please also contact one of our sales offices.